

A portable and stationary mounted unit all in one

The SC UNO 4M PS is both a stationary and a portable unit. It is simple and intuitive to use and a cost effective fixed installation on the wall or used as a portable model, carried from site to site to different working places. Delivered with all accessories for immediate use.

Designed for heavy duty cleaning tasks the SC UNO 4M PS serie is a reliable choice for light agriculture, building and construction and automotive areas, etc.


The key objective is to deliver one unique versatile machine for professionals with different demands as to cleaning environment. SC UNO 4M PS models can be easily carried from site to site with the robust, steel transport handle. And the steel transport handle protect the plastic cabinet parts from damage.

SC UNO 4M PS models can also be placed as a fixed installation against a wall thanks to the designed installation plate. The model is then placed out of the way, permanently ready for use and not taking up any valuable floor space.




Thanks to the flexible design, it can quickly be removed from the wall fixation and again be used as a portable unit and moved to a different site if the user has several applications.

- Powered by 1450 rpm high efficiency motor (50 Hz)
- Brass pump head
- 3 ceramic coated pistons
- Pressure activated unloader system
- Enclosed oil system
- Robust, steel transport handle
- The unit can operate both in vertical and in horizontal position
- Light weight (compared to competition)
- Robust steel handle for easy transport

• Standard equipment







Picture shown may not represent model quoted

Included accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
<b>Ergo System Coupling and Adapter</b>					
	ERGO COUPLING KIT	101119496	0	•	•
<b>High Pressure Male Coupling</b>					
	GARDENA COMPATIBLE MALE 3/4" ACCESSORY	106404529	0	•	•
<b>High Pressure Hose, DN6</b>					
	10 M WIRE HOSE DN6	301002275	0	•	•



## A portable and stationary mounted unit all in one

Included accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•
<b>FlexoPower Lance</b>					
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	0	•	•
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0340 INDICATION RING VIOLET	101119735	0	•	
	NOZZLE 0400 INDICATION RING METAL GREY	101119738	0		•

Model	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
Ref. no.	107340500	107340501

## PRODUCT FEATURES

Detergent tank		
Robust steel chassis and frame	•	•
Ceramic coated pistons	•	•
Foam Sprayer		
Oil sight outside cabinet	•	•
Wall mountable	•	•









Technical specifications	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
Pump pressure (bar/MPa)	140/14	160/16
Cleaning impact (kg/force)	2.7	3.4
Pump (RPM)	1450	1450
Power consumption (kW)	2.9	3.5
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/12.5	400/3/50/6.5
Water flow Qmax/Qiec (l/h)	620/560	720/660
El cable (m)	5	5
Nozzle size	.0340	.0400



## A portable and stationary mounted unit all in one












Technical specifications	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
Max. inlet temperature (°C)	60	60
Ceramic coated pistons	3	3
Length x width x height (mm)	480x240x340	480x240x340
Weight (kg)	34	34
Recommended avg. hours of use per day	3	3

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
<b>Special Nozzle</b>				
 CONTAINER CLEANING NOZZLE	15861	0	○	○
 NOZZLE FOR LONG LANCEJET 6-7 M	2802696	0		○
 NOZZLE PROTECTION CAP PA	18430	0	○	○
VARIO NOZZLE HL-I 1/8-27N	56829	0	○	○
 VARIO-NOZZLE CASING 1/8	5888	0	○	○
<b>Hose and Connection</b>				
 GEKA HOSE COUPLING 1/2	1716	0	○	○
 NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○
 NILFISK BA VALVE COMP. GEKA	106411179	0	○	○
 NILFISK BA VALVE COMP. NITO	106411178	0	○	○













## A portable and stationary mounted unit all in one












Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○
<b>High Pressure Male Coupling</b>					
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○
	GARDENA COMPATIBLE MALE 3/4" ACCESSORY	106404529	0	●	●
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○
<b>High Pressure Female Coupling</b>					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○



## A portable and stationary mounted unit all in one











Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○
	HOSE NOZZLE 20R3/4	61369	0	○	○
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○
<b>Standard Nozzle 15° 1/8" NPT</b>					
	NOZZLE HIGH PRESSURE 15040 1/8 NPT	8097	0		○
<b>Abrasive Blasting</b>					
	ARMEX-POWDER	5218617	0		○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	0		○
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	0		○
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	0		○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0		○
	SAND PLUGGER AND HOSE VSB	6400375	0		○
	SAND SUPER BLAST 25KG	8379	0		○
	SIMPLE SAND BLASTING UNIT COMPLETE VSB	301112493	0		○
<b>Brush Washing</b>					

## A portable and stationary mounted unit all in one












Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	BRUSH INSERT	10356	0	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○
<b>Drain and Pipe Cleaning</b>					
	DRAIN NOZZLE 05 3/8	2800084	0	○	○
	HP Hose DN10 20000 AGR-Drain cleaner 05	6401266	0	○	○
	PIPE CLEANING HOSE 4X10M	301002490	0	○	○
	PIPE CLEANING HOSE 4X20M	301002491	0	○	○
	PIPE CLEANING HOSE 4X30M	301002492	0	○	○
	PIPE CLEANING HOSEØ4MMX1	46920	0	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○
<b>TurboHammer Nozzle</b>					



## A portable and stationary mounted unit all in one











Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	TURBOHAMMER NOZZLE W12 035	49283	0	<input type="radio"/>	<input type="radio"/>
	TURBOHAMMER NOZZLE W12 040	65437	0	<input type="radio"/>	<input type="radio"/>
<b>Detergent</b>					
	ALTO ACTIVE WAX 10 L	81177	0	<input type="radio"/>	<input type="radio"/>
	ALTO RIMTOP 10 L	80935	0	<input type="radio"/>	<input type="radio"/>
<b>Filter Pressure Washer</b>					
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	0	<input type="radio"/>	<input type="radio"/>
	SAND FILTER 50MICRON UNIVERSAL	1604461	0	<input type="radio"/>	<input type="radio"/>
	WATER FILTER 50uM 3/4INCH PN12 PA	301000173	0	<input type="radio"/>	<input type="radio"/>
	WATER FILTER COMPLETE	107145802	0	<input type="radio"/>	<input type="radio"/>
<b>High Pressure Hose, DN10</b>					
	HP Hose DN10 1000 AGR-AGR	1402916	0	<input type="radio"/>	<input type="radio"/>
	HP Hose DN10 2052 AGR-AGR	1402924	0	<input type="radio"/>	<input type="radio"/>
	HP Hose DN10 3000 AGR-AGR	1402932	0	<input type="radio"/>	<input type="radio"/>

## A portable and stationary mounted unit all in one

Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	HP Hose DN10 5000 AGR-AGR	1402940	0	○	○
	HP Hose DN10 10000 AGR-AGR	6101766	0	○	○
	HP Hose DN10 15000 AGR-AGR	1402064	0	○	○
	HP Hose DN10 20000 AGR-AGR	1402072	0	○	○
	HP Hose DN10 25000 AGR-AGR	1402080	0	○	○
	HP Hose DN10 30000 AGR-AGR	1402098	0	○	○
<b>High Pressure Hose, DN8</b>					
	10 M 1 WIRE HOSE 5/16 DN8	1405569	0	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0	○	○
<b>Ergo System Coupling and Adapter</b>					
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	0	○	○
	ERGO COUPLING KIT	101119496	0	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	0	○	○














## A portable and stationary mounted unit all in one

Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	0	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	0	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○
<b>Brush Rotary</b>					
	BRISTLE. LONG	6401431	0	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	0	○	○
	ROTARY BRUSH 055 1700MM	6400019	0	○	○
	ROTARY BRUSH 055 L800 MM	6400018	0	○	○
<b>Special Lance</b>					
	CURVED LANCE L1090 MM	6402016	0	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	0	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○
<b>Short Lance</b>					













## A portable and stationary mounted unit all in one











Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	DOUBLE LANCE SHORT 1506 100MM	6400067	0	○	○
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○
<b>Injector and Foam Sprayer</b>					
	02 INJECTOR COMPLETE	6401246	0	○	○
	03 INJECTOR COMPLETE	6401247	0	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○
	FOAM INJECTOR W BYPASS	6401242	0	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	0	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○
	Kanne 2,5 liter uten lokk	107141635	0	○	○
<b>Tornado Nozzle with Indication Ring</b>					



## A portable and stationary mounted unit all in one












Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	NOZZLE 0340 INDICATION RING VIOLET	101119735	0	•	
	NOZZLE 0350 INDICATION RING BORDEAUX	101119736	0	○	
	NOZZLE 0400 INDICATION RING METAL GREY	101119738	0		•
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○
<b>High Pressure Hose, DN6</b>					
	10 M WIRE HOSE DN6	301002275	0	•	•
	HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL	101406175	0	○	○
<b>Other</b>					
	SIDE BAR COMPL.	106402110	0	○	○
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○	○
<b>FlexoPower Lance</b>					
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	0	•	•

## A portable and stationary mounted unit all in one

Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○
	FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	0	○	○
<b>TurboHammer Lance</b>					
	TURBOHAMMER PLUS 950 STRAIGHT W12 0350	106403077	0	○	○
	TURBOHAMMER PLUS 1115 STRAIGHT W12 0400	106403002	0	○	○
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0350	106403001	0	○	○
<b>Tornado Lance</b>					
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	○	○
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○	○
<b>Universal Lance</b>					
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	0	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	0	○	○




## A portable and stationary mounted unit all in one

Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	0	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	0	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	0	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	0	○	○
<b>4-in-1 Nozzle</b>					
	NOZZLE 4-IN-1 ALU + INDICATION RING 0370	101118130	0	○	
	NOZZLE 4-IN-1 ALU + INDICATION RING 0400	101118131	0		○
<b>4-in-1 Lance</b>					
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	106408250	0	○	
	4-IN-1 LANCE INCL 0350 ALUMINUM HEAD	106408251	0	○	○
	4-IN-1 LANCE INCL 0400 ALUMINUM HEAD	106408253	0		○
<b>Surface Cleaning Rotary</b>					
	HYDROSCRUB P300 P+H	106403187	0	○	○



A portable and stationary mounted unit all in one

Accessories		Ref. no.	Min. required	SC UNO 4M-140/620 PS 230/1/50 EU	SC UNO 4M-160/720 PS 400/3/50 EU
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○
<b>Option</b>					
	ACCESSORY STORAGE KIT	107371029	0	○	○
	ACCESSORY WATER BREAK TANK 40 L/MIN	107371020	0	○	○

