Efficient large area cleaning

The Nilfisk SC6000 is a next generation ride-on scrubber dryer with the size, speed, and technology to clean large indoor areas – at an extremely low Total Cost of Ownership.

Available in 3 different versions, SC6000 will be the ideal solution for many companies, industries, and cleaning contractors dealing with large indoor areas such as production sites, warehouses, supermarkets, airports, parking garages and other logistical centers.

Saving both water and detergent, this user-friendly machine is designed to deliver hours of superior cleaning and drying

performance at a high speed. Robust and reliable, the battery powered SC6000 is built to last with limited need for service and maintenance, making it the right choice when you want efficient cleaning with an absolute minimum of downtime.

SC6000 comes with the intelligent SmartFlowTM function automatically adjusting the solution flow according to the travel speed – and if you want to save more water, detergent, and power you can choose the optional $Ecoflex^{TM}$ system.

Dump and refill cycles will be few and far between – with the solution and recovery tanks both holding 190L and thanks to the limited use of water and detergent. Downtime is also minimized by the easy access to service



Picture shown may not represent model quoted

and maintenance, supported by the embedded diagnosis system for quick identification of any technical problems. When service needs to be carried out, tools will not be necessary for most operations, e.g. the click-on disc scrub brush system, and the easy removal of the squeegee from its support since no hose connection is needed.

So every detail of the SC6000 is designed to get the work done non-stop during its long life – at the lowest Total Cost of Ownership.

- Intermittent SmartFlow™ lever integrated into steering wheel: Reduces water flow on the deck, preventing splashes during turns
- · Speed limiter function reduces operator fatigue during cleaning especially when navigating around obstacles
- · Available in 3 different versions: 86 cm or 105 cm dual discs deck or 91 cm dual cylindrical brushes deck
- · Consistent cleaning: Designed for different types of surfaces, from smooth to tiles floors
- · Best in class drying performance thanks to the optional dual turbine
- Reliable and rugged construction in compact dimensions
- · Fully protected scrub deck and side skirts using rugged steel doors with rollers to minimize the risk of machine or facility damage
- SmartKey[™] system with two different levels of access, (super user and user keys)
- OLED display visible in even bright light conditions and from all viewing angles
- · No tools are needed to replace/change or inspect the main components of the machine: Brushes, squeegee and blades
- Click-on disc scrub brush system for simple one-touch installation of brushes or pad holders

Standard equipment

	Included accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D	
Squeegee Bla	Squeegee Blade						
P	SQUEEGEE BLADE KIT- LINATEX K	56116705	1	•	•		
	SQUEEGEE BLADE KIT-LINATEX J	56116704	1			•	
Squeegee, Blade, Skirt and Splash Guard							



	Included accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
P	SIDE BLADE KIT-LINATEX	56116706	1	•	•	•
Other						
S	ARM REST KIT-R/H ONLY	56383189	1	•	•	•
	BACK-UP ALARM KIT	56116351	1	•	•	•
8	BEACON KIT	56116352	1	•	•	•
	SEAT KIT-STANDARD	56116600	1	•	•	•
P	SMART KEY-SUPERVISOR	56116519	1	•	•	•
	SMART KEY-USER	56116518	1	•	•	•

Model	SC6000 910C	SC6000 1050D	SC6000 860D
Ref. no.	56116003	56116004	56116005
PRODUCT FEATURES			
Protection roller bumpers	•	•	•
Automatic squeegee lift in reverse	•	•	•
Back up warning alarm	•	•	•
Diagnostic system	•	•	•
Blades can be used on 4 edges	•	•	•
Click on-off brush		•	•
Adjustable steering	•	•	•
Adjustable seat	•	•	•
Debris tray	•	•	•
Ecoflex prepared	•	•	•
Squeezable drain hose with flow control	•	•	•
SmartKey system	•	•	•



Efficient large area cleaning SC6000 910C SC6000 1050D SC6000 860D Model Ref. no. 56116003 56116004 56116005 PRODUCT FEATURES One-Touch™ Button Break away Squeegee SmartFlow system Speed limiter Self-adjusting side skirts TrackClean ready Technical specifications SC6000 910C SC6000 1050D SC6000 860D Max. running time (hour) 4.5 HOURS 4.5 HOURS 4.5 HOURS Battery capacity (Ah/5) 320 320 320 36 Voltage (V) 36 36 IP protection class IPX3 IPX3 IPX3 Rated power (W) 2700 2700 2500 Brush motor (W) 750x2 750x2 750x2 600 600 Vacuum motor power (W) 600 Sound pressure level at 1.5 m (dB(A) ISO 3744) 69 69 69 8190/5730 9450/6620 7740/5420 Productivity theoretical/actual (m²/h) Handle vibration level (m/s²) <2.5 <2.5 <2.5 1016 863 Scrubbing width (mm) 914 Sweeping path w./ single side broom (cm) 101.6 202 Min. aisle turn (cm) 202 202 2.6-3.1 - 3.7-9.4 3.1-3.7 - 5.6-9.4 2.6-3.1 - 3.7-9.4 Water flow (I/m) Solution/recovery tank (I) 190/190 190/190 190/190 Hopper volume (I) 12.2 Squeegee width (mm) 1230 1230 1090 Brush/pad diameter (mm) 180 508 430 Cylindrical brush length (mm) 904 Brush pressure (kg) up to 135 up to 90 up to 135 760 250 250 Brush speed (RPM) Brush quantity and type 2 Cylindrical 2 Disc 2 Disc 1780x1170x1580 1780x1170x1580 1780x990x1580 Length x width x height (mm) Battery compartment size (L x W x H) (mm) 438x559x610 438x559x610 438x559x610 Gross weight (gvw) (kg) 1075 1070 1070 814 816 794 Shipping weight (kg)



Gradeability transport % (DEG)

Efficient large area cleaning

 Technical specifications
 SC6000 910C
 SC6000 1050D
 SC6000 860D

 Vibration level at the operator's body (m/s²)
 <0.35</td>
 <0.35</td>
 <0.35</td>

 Max. speed (km/h)
 9 Fwd / 4.2 rev
 9 Fwd / 4.2 rev
 9 Fwd / 4.2 rev

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
Pad 17" / 432	mm					
0	PAD 17 432MM ECO BLACK 5PCS	10001938	2			0
0	PAD 17 432MM ECO BLUE 5PCS	10001939	2			0
0	PAD 17 432MM ECO GREEN 5PCS	10001940	2			0
0	PAD 17 432MM ECO RED 5PCS	10001941	2			0
0	PAD 17 432MM ECO TAN 5PCS	10001937	2			0
6	PAD 17 432MM ECO WHITE 5PCS	10001936	2			0
	PAD 17 432MM ECO BROWN 5PCS	10001971	2			0
Pad 20" / 508	mm					
0	PAD 20 508MM ECO BLACK 5PCS	10001955	2		0	
0	PAD 20 508MM ECO BLUE 5PCS	10001956	2		0	
0	PAD 20 508MM ECO BROWN 5PCS	10001957	2		0	



	Accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
0	PAD 20 508MM ECO GREEN 5PCS	10001958	2		0	
0	PAD 20 508MM ECO RED 5PCS	10001959	2		0	
0	PAD 20 508MM ECO WHITE 5PCS	10001960	2		0	
Special Pad						
	PAD 17 432MM ECO BRILLIANCE BLUE 2PCS	10002337	2			0
	PAD 17 432MM ECO BRILLIANCE GREEN 2PCS	10002339	2			0
	PAD 17 432MM ECO BRILLIANCE RED 2PCS	10002336	2			0
	PAD 17 432MM ECO BRILLIANCE YELLOW 2PCS	10002338	2			0
	PAD 20 508MM ECO BRILLIANCE BLUE 2PCS	10002349	2		0	
	PAD 20 508MM ECO BRILLIANCE GREEN 2PCS	10002351	2		0	
	PAD 20 508MM ECO BRILLIANCE RED 2PCS	10002348	2		0	
	PAD 20 508MM ECO BRILLIANCE YELLOW 2PCS	10002350	2		٥	
Pad Holder						
	PAD HOLDER-17 3 LUG	56505780	2			0
	PAD HOLDER-20 3 LUG	56505790	2		0	



	Accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
Disc Brush 4	30 mm					
	DISC BRUSH-17 AGLITE 500 Ø430 MM	56505783	2			0
	DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	2			0
	DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	2			0
	DISC BRUSH-17 MIDGRIT 3 LUG	56505787	2			0
	DISC BRUSH-17 MIDLITE 3 LUG	56505788	2			0
	DISC BRUSH-17 PROLENE 3 LUG	56505784	2			0
	DISC BRUSH-17 PROLITE 3 LUG	56505785	2			0
	DISC BRUSH-17 UNION MIX 3 LUG	56505786	2			0
Disc Brush 5	10 mm		<u>'</u>			
	DISC BRUSH-20 AGLITE 3 LUG	56505793	2		0	
	DISC BRUSH-20 DYNA GRIT 3 LUG	56505792	2		0	
	DISC BRUSH-20 MAGNAGRIT 3 LUG	56505791	2		0	
	DISC BRUSH-20 MIDGRIT 3 LUG	56505797	2		0	
	DISC BRUSH-20 MIDLITE 3 LUG	56505798	2		0	
	DISC BRUSH-20 PROLENE 3 LUG	56505794	2		0	
	DISC BRUSH-20 PROLITE 3 LUG	56505795	2		0	
	DISC BRUSH-20 UNION MIX 3 LUG	56505796	2		0	
Other						
	ARM REST KIT-R/H ONLY	56383189	1	•	•	•
	BACK-UP ALARM KIT	56116351	1	•	•	•
8	BEACON KIT	56116352	1	•	•	•
	BROOM 180X400MM POLYPROPYLENE	56116858	1	0		
	BUMPER KIT-HEAVY DUTY-FRONT	56116359	1	0	0	
.8	DELUXE SEAT KIT	56116366	1		0	
D	DRAIN HOSE EXTENSION 11.5FT 3.5M	56601410	1	0	0	0
	DUAL VACUUM MOTOR KIT	56116370	1			



	Accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
	DUST GUARD KIT	56116513	1			
	FOOT GUARD KIT	56116364	1			
	MOP HOLDER KIT	56116619	1			0
	OVERHEAD GUARD KIT	56116152	1			0
	OVERHEAD GUARD KIT-SHORT	56116686	1			0
	SEAT BELT KIT- STANDARD SEAT	56383455	1			
	SEAT KIT-STANDARD	56116600	1	•	•	•
	SIDE SWEEP KIT	56116280	1	а		
OP	SMART KEY-SUPERVISOR	56116519	1	•	•	•
	SMART KEY-USER	56116518	1	•	•	•
	SOLUTION AUTO FILL KIT	56116358	1		0	0
	SQUEEGEE GUARD KIT	56116361	1			
	TRACKCLEAN SC6000 KIT	56116731	1			
	USB KIT	56116856	1	0		
	VACUUM WAND KIT	56116355	1			0
	WASH HOSE KIT	56116512	1			
	WEIGHT KIT-STEERING COLUMN	56116576	1			
External Char	ger					



	Accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
€.	CHARGER HF 36V 25A SB175G	80543626	1	0	0	0
€.	CHARGER HF 36V 40A SB175G	80553643	1	0	0	0
Battery						
	BATT.36V-280AH GEL SINGLE CELLS IN TRAY	L00210020	1			
	BATT.36V-320AH WET TRAY WITH AQUAMATIC	L00200033	1		0	
	BATT. 6V-240AH GEL MONOBLOC	80564100	6			
	BATT. 6V-255AH WET SEMI T MONOBLOC	80565000	6		0	0
Squeegee Bla	ade					
1	SQUEEGEE BLADE KIT- LINATEX K	56116705	1	•	•	
Pe	SQUEEGEE BLADE KIT-LINATEX J	56116704	1			•
	SQUEEGEE BLADE KIT-PU J	56116707	1			o
	SQUEEGEE BLADE KIT-PU K	56116708	1	0	0	
Squeegee, Bl	ade, Skirt and Splash Guard					
P	SIDE BLADE KIT-LINATEX	56116706	1	•	•	•
A.	SIDE BLADE KIT-PU	56116709	2	0	0	0
Ecoflex Syste	m					



	Accessories	Ref. no.	Min. required	SC6000 910C	SC6000 1050D	SC6000 860D
	ECO FLEX KIT	56116517	1			
Light Option						
0	HEADLIGHT KIT	56116371	1		0	
On-Board Ch	arger					
8	ONBOARD CHARGER KIT-EURO	56116627	1		0	
Brush Cylindi	rical					
	BRUSH-CYL-80 GRIT-BLACK-7IN	56116045	2	0		
	BRUSH-CYL-180 GRIT-BLUE-7IN	56116044	2	0		
	BRUSH-CYL-HARD NYL-NATURAL-7IN	56116043	2	0		
	BRUSH-CYL-POLYPRO-RED-7IN	56116047	2	0		
	BRUSH-CYL-SOFT NYL-YELLOW-7IN	56116046	2	0		

